



COVER: CLEAR VIEW

5 STAR DOUBLE SIDED GAS LOG HEATER

Pictured in Stainless Steel



The Warmest Aussie Legend

We have been proudly manufacturing in Australia for over 35 years.

Woodheaters have been the key to our business growth since the mid 1980's. Over the years our manufacturing of Woodheaters has employed hundreds of locals and contributed significantly to the local community - this is something we are extremely proud of. The acquisition of the Coonara brand in 2001 was made possible due to our earlier success in our contract manufacturing of Woodheaters and we are really excited about the newly introduced technologies that deliver Coonara Gas Log Heaters with high efficiency heating. This is a major step in the right direction for our environment.

Of course none of our success could be achieved without the support and dedication of our fantastic staff. We are a proud Australian manufacturer and we are proving that locally manufactured products can successfully compete with imported products. Your support is critical in helping keep the Australian manufacturing industry safe. We thank you for your continued support of Australian made Coonara Gas Log Heaters. They really are an Aussie icon.

Yours sincerely

Eric Woodgate

Managing Director

AN AUSSIE ICON PROUDLY AUSTRALIAN MADE

CLEAR VIEW 5 STAR DOUBLE SIDED GAS LOG HEATER





View the mesmerising flame pattern from 2 rooms while relaxing, and set the temperature to suit your own comfort levels using the thermostat controller.







The Clear View double sided heater has all the charm and romance you would expect from a Coonara. You will be mesmerised by the flames from 2 rooms and with the thermostat controller can set your temperature to suit your comfort levels. Its high efficiency will keep your costs down. What more would you expect from this latest Coonara Gas Log Space Heater.

Available in 8 colour options

FEATURES

- 84.7 % Efficiency Rating
- 5 Star Energy Rating
- Heats up to 20 Squares
- 8 Colour Options
- Fluing Options
- · Thermostat Controller
- Natural Gas Only

- Heat Output:
 - 36MJH on high
 - 27 MJH on low
- High 8.7kw
- Low 4.3kw

* IMPORTANT: Heating areas provided are based on open plan living areas and 2.4 metre ceiling height. Note: Lack of insulation, large window areas and cathedral ceilings reduce heating effectiveness.



COONARA FIREPLACE THERMOSTAT APP

Allows you to control your fireplace from your iPod, iPhone and iPad


With this Optional Extra application you can

- 1. Control the temperature from anywhere#
- 2. Adjust the flame settings from anywhere#
- 3. Turn on and off times via the 7 day programmable times
- 4. Listen to the built in wood fire sound effect
- 5. Simultaneously control your fireplace from multi iOS devices
- 6. Easily format units of measure for temperature (celsius & fahrenheit)
- Easily format time display:12 hour & 24 hour



THERMOSTAT CONTROLLER

- · Ability to control room temperature maximising comfort and energy savings.
- Programmable heating levels to enhance comfort control.
- · Large easy to read backlit LCD screen.
- Powered by 2x AA batteries for approximately 12 months of operation
- · Full seven-day program capability



The Barossa gas log heater will add style and warmth to your home with its landscape viewing area. See the flames dance before you eyes. Pictured in Satin Black. 8 colour options to choose from. Smart phone app available as an optional extra.

FEATURES

"3,53"

T OK ▲

(COONARA)

- 84.7% Efficiency rating
- 5 Star energy rating
- Heats up to 24 squares
- 8 Colour options
- Fluing options
- Thermostat controller

- Natural Gas only
- Heat Output:
 - 36MJH on high
 - 27MJH on low
 - High ~ 8.7kw
 - Low ~ 4.3kw





5.0 star energy rating



The Coonara Chateua Series 1 is a versatile heater ideal for both brick fireplaces or created fireplaces. It comes standard with switches on the top right hand side of the fascia, no bending required or you can get the optional thermostat for ease of use to suit your comfort levels.

- 83% Efficiency rating
- 4.6 Star energy rating
- Heats up to 14 squares
- 7 Colour options
- Fluing options
- Optional thermostat controller
- Natural Gas/LPG
- Heat Output:
- 33MJH on high
- 23MJH on low
- Hiah ~ 7.6kw
- Low ~ 5.2kw











Inbuilt Chateau installed into stud wall cavity with internal fascia surround. (Internal Installation – Inbuilt)



External weather cover with cowl for Chateau installed through the wall (External Installation – Inbuilt)



Flue cowl attached to external wall with Chateau installed into stud wall cavity

PRACTICAL AND VERSATILE CHATEAU INBUILT GAS LOG HEATER

The Coonara Chateau Inbuilt Gas Log Heater is an extremely practical and versatile gas log heater with multiple installation options for just about every situation.

Importantly, there is no need for an additional 'Zero Clearance Box' for heat protection of combustible walls.

The high efficiency (4 star plus rating) of the Chateau produces low surface temperatures eliminating the need for any additional heat shielding to combustible walls. Minimum clearances are only 12mm from the side and rear walls and 20mm from the top horizontal surface. These clearances are from the firebox casing NOT the heater fascia.

The Chateau can be installed into an existing fireplace or a purpose built timber surround with a vertical flue. It is also available with a horizontal flue outlet which provides for further installation options such as cutting out the plaster and stud wall to accommodate part of the firebox and using the internal console cover with the flue cowl attached to the outside wall. You can also install the Chateau completely through the wall and use the external weather cover. Both options, illustrated at right, significantly reduce the amount of floor space required.



The Hermitage Freestanding will add style & romance to any living area. It's Compact in size but big on performance. The Bay Window allows you to be mesmerised by these Flames from all angles.

- 83% Efficiency rating
- 4.2 Star energy rating
- Heats up to 14 squares
- 7 Colour options
- Fluing options
- Optional thermostat controller
- Natural Gas/LPG
- Heat Output:
- 33MJH on high
- 23MJH on low
- High ~ 7.6kw
- Low ~ 5.2kw









The Coonara pedigree of innovation has created something special.

The Coonara Hermitage Inbuilt gas log heater is a heater for homeowners who desire the beauty of woodheating with the ease of gas log heating. Pictured above with optional Infill Panel.

- 83% Efficiency rating
- 4.6 Star energy rating
- Heats up to 14 squares
- 7 Colour options
- Fluing options
- · Optional thermostat controller
- Natural Gas/LPG
- Heat Output:
 - 33MJH on high
 - 23MJH on low
 - High ~ 7.6kw
 - Low ~ 5.2kw











Inbuilt Hermitage installed into stud wall cavity with internal fascia surround. (Internal Installation – Inbuilt)



External weather cover with cowl for Hermitage installed through the wall.



Flue cowl attached to external wall with Hermitage installed into stud wall cavity.

THE STUNNING AND INGENIUS HERMITAGE INBUILT LOG HEATER

The Coonara Hermitage Inbuilt Gas Log Heater is an extremely practical and versatile gas log heater with multiple installation options for just about every situation.

Inportantly, there is no need for an additional 'Zero Clearance Box' for heat protection of combustible walls.

The high efficiency (4 star plus rating) of the Hermitage produces low surface temperatures eliminating the need for any additional heat shielding to combustible walls. Minimum clearances are only 12mm from the side and rear walls and 20mm from the top horizontal surface. These clearances are from the firebox casing NOT the heater fascia.

The Hermitage can be installed into an existing firplace or a purpose built timber surround with a vertical flue. It is also available with a horizontal flue outlet which provides for further installation options such as cutting out the plaster and stud wall to accommodate part of the firebox and using the internal console cover with the flue cowl attached to the outside wall. You can also install the Hermitage completely through the wall and use the external weather cover. Both options, illustrated at right, significantly reduce the amount of floor space required.

Heating Area*

Up to 14 squares, depending on ambient air temperatures.



CHATEAU SERIES ONE VICTORIAN

The Coonara Chateau Victorian is a heater for homeowners who desire the beauty of a woodheater with the ease of gas log heating. It combines modern electronic technology and a power balanced flue system for greater heating efficiency with a beautiful log flame. To create the perfect look simply purchase our Cast Iron Fascia as an optional extra to finish off your new fireplace.

Where tradition meets innovation.

- 83% efficiency rating
- · 4.6 star energy rating
- Heats up to 14 squares
- · Natural Gas & LPG
- Optional Thermostat Controller
- · Colour: Black
- Optional Cast Iron Fascia









HERMITAGE INBUILT VICTORIAN

The panoramic view of the Hermitage Inbuilt Victorian with its beautiful and realistic flame patterns will keep you warm and cosy on cold and chilly nights. To create the perfect look simply purchase our Cast Iron Fascia as an optional extra to finish off your new fireplace.

Where tradition meets innovation.

- 83% efficiency rating
- 4.6 star energy rating
- Heats up to 14 squares
- · Natural Gas & LPG
- Optional Thermostat Controller
- · Colour: Black
- Optional Cast Iron Fascia









Manual Model Shown

The Coonara Mystique Manual model will warm up any Aussie home at the press of a button. This heater has plenty of power and is capable of heating an area up to 14 squares while still being cost effective to run. Its stylish looks and 7 colour options will get your senses soaring on those chilly nights.

- 83% Efficiency rating
- 4.6 Star energy rating
- Heats up to 14 squares
- 7 Colour options
- Fluing options
- Optional thermostat controller
- Natural Gas/LPG
- Heat Output:
- 33MJH on high
- 23MJH on low
- High ~ 7.6kw
- Low ~ 5.2kw









The Coonara Mystique will heat a large area up to 14 squares of open plan living at the push of a button. This model comes standard with a Thermostat Controller where you are in control of setting the room temperature to suit your comfort levels. This Controller allows you to set the time and temperature over a 7 day period to suit your lifestyle. Pictured above in black with optional Chrome Frame & Grill.

- 83% Efficiency rating
- 4.6 Star energy rating
- Heats up to 14 squares
- 7 Colour options
- Fluing options
- Thermostat controller

- Natural Gas/LPG
- · Heat Output:
- 33MJH on high
- 23MJH on low
- High ~ 7.6kw
- Low ~ 5.2kw







The New Mystique Console is Compact in size, but big on performance. Its stylish & modern look will enhance any living area.

This heater is cost effective to run while heating an area up to 14 squares.

FEATURES

- 83% Efficiency rating
- 4.2 Star energy rating
- Heats up to 14 squares
- 7 Colour options
- Fluing options
- Optional thermostat controller
- Heat Output:
- 33MJH on high
- 23MJH on low
- High ~ 7.6kw
- Low ~ 5.2kw







4.2 star energy rating

HERMITAGE, MYSTIQUE, CHATEAU, BAROSSA & CLEARVIEW SERIES





Fuel Requirements


Designed for use with Natural and LPG Gas.


Tested and Approved


Tested and approved to the most stringent quality standards for safety and efficiency. AGA approved. Certificate No. 6165G.


Coonara Warranty


All current Coonara gas heaters are warranted to be free from defects in material and workmanship under normal use and service. The warranty of the actual firebox and heat exchanger is 5 years – to the initial purchaser. All other components (except accidental breakage of door glass) are warranted for a period of 24 months. Coonara gas log fires are designed and tested for use with Coonara manufactured flue kits. The warranty contains benefits in addition to all other specific legal rights and remedies which the purchaser may have under statute. Refer to operating and installation instructions for full warranty statement.
































GAS LOG HEATERS TECHNICAL SPECIFICATIONS

		HERMITAGE FREESTANDING	HERMITAGE INBUILT	CHATEAU SERIES I	CHATEAU SERIES 1 VICTORIAN	HERMITAGE INBUILT VICTORIAN
HEATING CAPACITY UP TO SQUARES SQUARE METRES*		14 140	14 140	14 140	14 140	14 140
EFFICIENCY RATING MEGAJOULES @ MAXIMUM SETTING		83% 33	83% 33	83% 33	83%	83%
STAR RATING		4.2	4.6	4.6	4.6	4.6
FIRE BOX DIMENSIONS	HEIGHT (mm) WIDTH (mm) DEPTH (m)	N/A	595 695 355	595 695 435	595 695 435	595 695 355
OVERALL DIMENSIONS	HEIGHT (mm) WIDTH (mm) DEPTH (m)	745 600 475	715 855 510	715 800 465	675 800 465	675 800 510
CAST IRON FASCIA DIMENSION (mm) & MODEL		N/A	N/A	N/A	990x1130 (600)	990x1005 (500)
FLUING OPTIONS	VERTICAL HORIZONTAL WALL PENETRATION	YES YES YES	YES YES NO	YES YES NO	YES YES NO	YES YES NO
THERMOSTAT CONTROLLER		OPTIONAL	OPTIONAL	OPTIONAL	OPTIONAL	OPTIONAL
NATURAL GAS & LPG		YES	YES	YES	YES	YES
DESPATCH WEIGHT (kg)		74	84	81	81	84



CHATEAU/HERMITAGE

- Gas Inlet to be 1/2" M/i BSP
- · Cement Sheet required

UP TO 8 COLOUR OPTIONS FOR CLEAR VIEW, BAROSSA & MYSTIQUE MODELS




^{*} Provided there is Internet connection. Compatible devices: Requires iOS 7.0 or later; iPod touch (5th generation & later; iPhone (5 & later); iPad (all models). Download on the App Store or Android App on Google Play or download from Windows Store.

^{*}IMPORTANT: Heating areas provided are based on open plan living areas and 2.4 metre ceiling height. Note: Lack of insulation, large window areas and cathedral ceilings reduce heating effectiveness.

GAS LOG HEATERS TECHNICAL SPECIFICATIONS

		MYSTIQUE CONSOLE	MYSTIQUE MANUAL	MYSTIQUE	BAROSSA	CLEAR VIEW
HEATING CAPACITY UP TO SQUARES SQUARE METRES*		14 140	14 140	14 140	24 240	20 200
EFFICIENCY RAT MEGAJOULES @	ING MAXIMUM SETTING	83% 33	83% 33	83% 33	84.7% 36	84.7% 36
STAR RATING		4.2	4.6	4.6	5.0	5.0
FIRE BOX DIMENSIONS	HEIGHT (mm) WIDTH (mm) DEPTH (m)	N/A	595 695 435	595 695 435	740 946 355	740 946 245
OVERALL DIMENSIONS	HEIGHT (mm) WIDTH (mm) DEPTH (m)	745 600 475	675 790 465	675 790 465	765 1100 365	740 1100 265
FASCIA DEPTH (mm)		N/A	20	20	20	20
FLUING OPTIONS	VERTICAL HORIZONTAL WALL PENETRATION	YES YES YES	YES YES	YES YES	YES YES	YES YES
THERMOSTAT CONTROLLER		OPTIONAL	OPTIONAL	STANDARD	STANDARD	STANDARD
NATURAL GAS & LPG		YES	YES	YES	NATURAL GAS ONLY	NATURAL GAS ONLY
DESPATCH WEIGHT (kg)		74	76	76	112	112

MYSTIQUE	CLEAR VIEW			
A) 740mm	NEW APPLICATION:			
B) 500mm	FRONT OPENING	REAR OPENING		
C) 640mm	A) 1000mm B) 245mm (includes cladding) C) 900mm	A) 1000mm B) 245mm (includes cladding) C) 900mm		
	EXISTING WALL APPLICATION:			
BAROSSA	FRONT OPENING	REAR OPENING		
A) 1000mm B) 400mm C) 900mm	A) 1000mm B) Up to 245mm Max. C) 900mm	A) 1125mm B) Up to 245mm Max. C) 900mm		



*IMPORTANT: Heating areas provided are based on open plan living areas and 2.4 metre ceiling height. Note: Lack of insulation, large window areas and cathedral ceilings reduce heating effectiveness.





Tested and approved

Tested and approved to the most stringent quality standards for safety and efficiency. AGA approved. Certificate No. 7048G, 8178G, 6165G

Coonara Warranty

All current Coonara gas heaters are warranted to be free from defects in material and workmanship under normal use and service. The warranty of the actual firebox and heat exchanger is 5 years – to the initial purchaser. All other components (except accidental breakage of door glass) are warranted for a period of 24 months. Coonara gas log fires are designed and tested for use with Coonara manufactured flue kits. For the full warranty statement, refer to the Shamic Sheetmetal (Aust) P/L website (www.shamic.com), the product installaion manual, or your Coonara dealer. Shamic goods come with guarantees that cannot be excluded under Australian Consumer Law. The purchaser is entitled to a replacement or a refund for a major failure and compensation for any reasonably forseeable loss or damage. The purchaser is also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure. All heaters pictured in this brochure are operating on Natural Gas.Flame patterns are different on LPG.

Note: All Coonara heaters must be installed by our authorised installer to be covered by our warranty statement.

Vour	Legendary	Cooper	doalori	٠.
ioui	Legendary	y Coorial a	ueater i	5.

*IMPORTANT: Heating areas provided are based on open plan living areas and 2.4 metre ceiling height. Note: Lack of insulation, large window areas and cathedral ceilings reduce heating effectiveness.





14-18 Research Dve, Croydon Sth. 3136 Tel: [03] 9737 5300 Fax: [03] 9761 6455 A.B.N. 61 007 251 569

www.shamic.com

All of the information contained in this brochure was correct at the time of printing, January 2019. However, the manufacturer reserves the right to make changes to design and specification without notice. You can confirm current designs, specifications, optional extras and financial details by consulting your nearest authorised Coonara dealer. Please note: Due to the nature of the printing process, colours may vary from those shown in this catalogue. Ask your dealer to show you a colour sample.